

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Appellants:	Pugel, M. A. et al.	Examiner:	Jeong S. Park
Serial No.	10/534,450	Group Art Unit:	2454
Filed:	May 10, 2005	Docket No.	PU030231
Title:	CONVERSION OF ALERT MESSAGES FOR DISSEMINATION IN A PROGRAM DISTRIBUTION NETWORK		
Customer No:	24498		

**BRIEF ON APPEAL**

Commissioner for Patents  
Post Office Box 1450  
Alexandria, Virginia 22313-1450

Sir:

This Brief on Appeal is submitted in response to an Office Action dated August 8, 2009 rejecting the pending claims 1 – 12 and 14 – 16 and in furtherance of a Notice of Appeal filed November 30, 2009. Please charge Deposit Account 07-0832, for any fees owed for the submission of this Appellants' Brief and for any Extension of Time required for submission of this Brief.

No oral hearing is requested.

**I. REAL PARTY IN INTEREST**

The real party in interest in this appeal is Thomson Licensing Inc., the assignee of record.

**II. RELATED APPEALS AND INTERFERENCES**

There are no appeals or interferences that will directly affect, or be directly affected by, or have a bearing on the Board's decision in this appeal.

**III. STATUS OF CLAIMS**

The status of all of the claims remaining in the application, claims 1 – 12 and 13 - 16 is set forth in Appendix A of this Brief.

Claim 13 has been canceled.

Claims 1 – 12 and 14 - 16 have been rejected under 35 U.S.C. 103(a) as being unpatentable over Manson et al. (US Patent No. 6543051, hereafter referred to as “Manson”) in view of Pinder (US Patent No. 6112074, hereafter referred to as “Pinder”).

Claim 6 has been further rejected under 35 U.S.C. 103(a) as unpatentable over Manson in view of Pinder and further in view of Adler (US Patent No. 6505203, hereafter referred to as “Adler”).

**IV. STATUS OF AMENDMENTS**

All amendments prior to this Appeal have been entered.

**V. SUMMARY OF CLAIMED SUBJECT MATTER**

References to paragraph numbers (00xx) are to U.S. Published Application Serial

No. U. S. 2006/0031582 A1, the published version of this appealed application.

#### INDEPENDENT APPARATUS CLAIM 1

The invention of claim 1 relates to a system for inserting “Alert” information into broadcast programming that is transmitted by a program distributor 18 over a program distribution network 20 such as a cable TV network (see FIG. 1). The system receives “Alert” information (e.g. hazardous weather, terrorist activity, missing person, etc.) in a first format comprising one or more SAME (“Specific Area Message Encoding”) codes and converts the Alert information to a second format (MPEG-2) which is compatible with the programming being broadcast via the distribution network (see FIG. 5 and also para. 0027).

The program distributor 18 inserts the converted “Alert” information into the broadcast programming via the program distribution network 20 so that the Alert message supercedes other transmissions being broadcast over the network (para. 0026 – 0028) when an alert is to be received. The converted Alert is formatted into an MPEG transport packet where a packet identifier (PID) in the header of the transport packet identifies the content of the transport packet as being an Alert message instead of being at least one of audio information and video information as would be the case for ordinary broadcast programming (para. 0021). The Alert message is transmitted to a user when geographic data in the message corresponds to (matches) that of the user (para. 0023 - 0024).

#### INDEPENDENT METHOD CLAIM 7

The language in the specification describing the method steps of the method of claim 7 closely follows that of the structural elements of apparatus claim 1 as set forth

above. In addition, the method of claim 7 recites the step of “receiving an alert message” (e.g. hazardous weather, terrorist activity, missing person, etc.) “in a proprietary format comporting to a SAME (i.e. Specific Area Message Encoding) message” (para. 20 – 21).

Claim 7 further recites “translating the alert message” to a second format (e.g., MPEG-2) which is compatible with a broadcast signal used for transmitting broadcast programming (see references above and also para. 0027 and FIG.5).

The translated alert message is transmitted “with the broadcast programming”. The translated alert message “is formatted into an MPEG transport packet where the packet identifier (PID) in the header of the transport packet identifies the content of the transport packet as being an alert message instead of being at least one of audio information and video information” as compared with the case for ordinary broadcast programming (para. 0021, 0031, 0032).

The step of transmitting the alert message is further specified as occurring when geographic data in the message corresponds to (matches) geographic area corresponding to that of a user that receives broadcasting programming from the program distributor (para. 0023 - 0024).

#### INDEPENDENT METHOD CLAIM 12

Independent method claim 12 is similar in many respects to independent method claim 7 and is supported in large part in the specification in the same manner as claim 7.

In addition, the method of claim 12 recites the added initial step of “transmitting broadcast programming in an MPEG-2 compatible data stream” (para. 0020).

Claim 12 further recites the step of “receiving the alert message” (e.g. hazardous weather, terrorist activity, missing person, etc.) “in a proprietary format which comports

to a SAME (i.e. Specific Area Message Encoding) message” (para. 20 – 21).

Claim 12 further recites “converting the alert message” ----- “formatted into an MPEG-2 transport packet where the packet identifier, etc.” (see claim 7 above, also para. 0027 and FIG. 5) ).

Claim 12 further substantially follows the language of claim 7 set forth above relating to matching geographic data in an alert message with the geographic area corresponding to a user (see claim 7 above and para. 0023, 0024).

## **VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL**

A. Claims 1-12 and 14 – 16 have been rejected under 35 U.S.C. § 103(a) as being unpatentable (obvious) in view of a combination of Manson in view of certain aspects of Pinder.

B. Dependent claim 6 has been further rejected under 35 U.S.C. § 103(a) as being unpatentable over Manson in view of Pinder and further in view of Adler.

## VII. ARGUMENT

### A. REJECTION OF CLAIMS 1 - 12 and 14 - 16 UNDER 35 U.S.C. § 103(a)

In the case of the non-final Rejection of all of the remaining claims under 35 U.S.C. § 103(a), as being obvious in view of a combination of elements of Manson in view of Pinder or further in view of Adler (claim 6), it is respectfully submitted that no prima facie case of obviousness has been made out by the Examiner based on the recited combination(s) of references.

#### 1. GENERAL STATEMENT OF PROPER BASIS FOR REJECTIONS UNDER 35 U.S.C. § 103(a)

In a “Notice” dated October 3, 2007, the Director of the USPTO promulgated “Examination Guidelines For Determining Obviousness Under 35 USC 103 in View of the Supreme Court Decision in *KSR International Co. v. Teleflex, Inc.*”, 550 U.S. \_\_\_\_, 127 S. Ct. 1727, 82 USPQ2d 1385, decided April 30, 2007 .

In the “Guidelines”, the Director stated:

“As reiterated by the Supreme Court in *KSR*, the framework for the objective analysis for determining obviousness under 35 U.S.C. 103 is stated in *Graham v. John Deere Co.* Obviousness is a question of law based on underlying factual inquiries. The factual inquiries enunciated by the Court are as follows:

- (1) Determining the scope and content of the prior art;

- (2) Ascertaining the differences between the claimed invention and the prior art;  
and  
(3) Resolving the level of ordinary skill in the pertinent art.”

The “Guidelines” provide specific “rationales” for supporting a legal conclusion of obviousness based on combinations of references as follows (emphasis added):

“The key to supporting any rejection under 35 U.S.C. 103 is the clear articulation of the reason(s) why the claimed invention would have been obvious. The Supreme Court in *KSR* noted that the analysis supporting a rejection under 35 U.S.C. 103 should be made explicit. (emphasis added). The Court quoting *In re Kahn*, [citation omitted] stated that ‘[R]ejections on obviousness cannot be sustained by mere conclusory statements; instead, there must be some articulated reasoning with some rational underpinning to support the legal conclusion of obviousness’.

#### Rationales

- (A) Combining prior art elements according to known methods to yield predictable results;
- (B) Simple substitution of one known element for another to obtain predictable results;
- (C) Use of known technique to improve similar devices (methods, or products) in the same way;
- (D) Applying a known technique to a known device (method, or product) ready for improvement to yield predictable results;

(E) “Obvious to try” – choosing from a finite number of identified, predictable solutions, with a reasonable expectation of success;

(F) Known work in one field of endeavor may prompt variations of it for use in either the same field or a different one based on design incentives or other market forces if the variations would have been predictable to one of ordinary skill in the art;

(G) Some teaching, suggestion, or motivation in the prior art that would have led one of ordinary skill to modify the prior art reference or to combine prior art reference teachings to arrive at the claimed invention.”.

The “Guidelines” go on to recognize the continued viability of the TSM rationale (item “G”) as follows:

“If the search of the prior art and the resolution of the Graham factual inquiries reveal that an obviousness rejection may be made using the familiar teaching-suggestion-motivation (TSM) rationale, then such a rejection using the TSM rationale can still be made. Although the Supreme Court in *KSR* cautioned against an overly rigid application of TSM, it also recognized that TSM was one of a number of valid rationales that could be used to determine obviousness”.

In *KSR International Co. v. Teleflex, Inc. et al.*, *supra*, (see Section “B”, pages 14 – 15 of the published decision), the U. S. Supreme Court discussed this requirement of “teaching, suggestion or motivation” and stated:

“When it first established the requirement of demonstrating a teaching, suggestion or motivation to combine known elements in order to show that the combination is obvious, the Court of Customs and Patent Appeals captured a



helpful insight. See *Application of Bergel*, 292 F. 2d 955, 956 – 957 (1961). -----

In the years since the Court of Customs and Patent Appeals set forth the essence of the TSM test, the Court of Appeals no doubt has applied the test in accord with these principles in many cases. There is no necessary inconsistency between the idea underlying the TSM test and the Graham analysis”.

The “Graham analysis” refers to the three required factual inquiries set out in *Graham v. John Deere Co. of Kansas City*, 383 U. S. 1 (1966) mentioned above.

It is therefore respectfully submitted that under the published guidelines incorporating the latest Supreme Court decision (the *KSR* case) the Examiner is required to find all elements of the claims in citable references or sources, to identify all missing elements (“ascertain— the differences”); to find such references which teach, suggest and/or motivate the person of ordinary skill to combine such elements in the manner set forth in the rejected claims, and provide a “clear articulation” of the reason(s) why the claimed invention would have been obvious” (*KSR supra*, emphasis added) . The *KSR* opinion requires that “rejections on obviousness cannot be sustained by mere conclusory statements; instead, there must be some articulated reasoning with some rational underpinning to support the legal conclusion of obviousness”. In the absence of references disclosing all of the claimed elements, and the showing of a teaching, suggestion or motivation to combine such claimed elements in the manner claimed, and a clear statement and rational analysis of its basis, an obviousness rejection cannot stand.

To summarize, in order to establish a prima facie case of obviousness, all of the foregoing basic criteria must be met. That is, the prior art references when combined must teach or suggest all of the claim limitations. There must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the references or to combine them as claimed. Finally, there must be a reasonable expectation of success for the proposed combination of elements. The teaching or suggestion to make the claimed invention and the reasonable expectation of success must both be found in the prior art, and not based on the applicant's own disclosure. *In re Vaeck*, 20 U.S.P.Q.2d 1438 (Fed. Cir. 1991).

Patent examiners cannot rely on their own knowledge as a basis for rejecting patent applications without the citation of specific evidence (references) having a teaching, suggestion or motivation to modify a reference or to combine two or more references ; *In re Lee*, 277 F.3d 1338, 1345 (Fed. Cir. 2002).

The examiner bears the burden of establishing a prima facie case of obviousness and “can satisfy this burden only by showing some objective teaching in the prior art or that knowledge generally available to one of ordinary skill in the art would lead that individual to combine the relevant teachings of the references.” *In re Fine*, 5 U.S.P.Q.2d 1596, 1598 (Fed. Cir. 1988, emphasis added).

Absent the elements or the showing of a teaching, suggestion or motivation to combine such elements as claimed, an obviousness rejection cannot stand.

## 2. THE DISCLOSURE IN U.S. PATENT NO. 6,543,051 – MANSON ET AL.

Manson describes a system for inserting an emergency alert message (EAM) into a digital subscriber television system. Like the present invention, Manson's digital subscriber television system 201 "uses MPEG transport streams for delivery of video, audio and data entertainment services" (col. 2, lines 57 – 60). These MPEG transport streams convey the ordinary TV signals in a customary manner. As the Examiner has recognized, Manson transmits "MPEG formatted information from the application servers ---- as the in-band data" (rejection, page 3). Thus, "in-band data" is the main entertainment services information or TV programming.

However, as will be shown below, the Examiner incorrectly concludes that Manson discloses converting alert information from a SAME (Specific Area Message Encoding) code format to a second format "compatible with the programming broadcasted via the program distribution network" (claim 1) or "compatible with a broadcast signal used for transmitting the broadcast programming" (claim 7). Manson says only that his system converts alert messages into a text file (or an audio file) "compatible with the digital subscriber system, such as an HTML or ASCII display file" (or RIFF Wave or AIFF audio file, as the case may be) – see col. 4, lines 55 – 65, but does not refer to compatible with the programming broadcast.

Further, the Examiner incorrectly concludes that Manson discloses inserting "the converted alert into the broadcast programming" (claim 1, also see

claim 7 “transmitting the translated alert message with the broadcast programming”, and claim 12 “converting the alert message into data that is inserted into packets ---MPEG-2 data stream”) in Manson’s “in-band delivery path” (rejection, bottom of page 3). It will be demonstrated below that Manson discloses an “out-of-band” delivery path for the alert message and does not disclose inserting the alert message “into the broadcast programming”. Finally, the Examiner incorrectly concludes (without any suggestion from Manson) that “the converted alert is formatted into an MPEG transport packet” (claim 1, see also similar language in claim 7 and claim 12 above) – see rejection, top of page 4 – which is processed via Manson’s “in-band delivery path”. MPEG transport packets in an in-band delivery path is clearly not what Manson discloses.

The cited Manson patent itself is silent regarding which delivery path (in-band or out-of-band) is used to pass alert information to a subscriber. However, at column 2, lines 32 – 39 of the cited Manson patent, Manson identifies and incorporates by reference his U.S. Provisional Patent Application No. 60/143,835 (the “priority” application).

Copies of relevant hand numbered pages 5, 37 – 39 and 42 of that priority document, as they appear in the PAIR database of the USPTO, are attached as evidence in APPENDIX B of this BRIEF.

On page 5 of the priority application, Manson provides a diagram of an “MMM System”, i.e. a MultiMedia Message system, including an “Emergency Alert Receiver Server (EARS)” coupled to a “MultiMedia Message Server (MMMS)”. A “DHCT” (Digital Home Communications Terminal) is provided at

the end of the illustrated signal path. These elements are also described in the cited Manson patent.

On page 37 of the priority document (“2.1.6.1 MMM Request”), the manner of sending an Emergency Alert Message (EAM) in Manson’s system is described. Manson specifically states there that “These files will be sent through an out of band data carousel ---” (emphasis added). Following this statement, Manson’s “format of the payload” (the Emergency Alert Message) is presented in a table on pages 38 -39 of the priority document. This format corresponds substantially to what is shown in Table I of the cited Manson patent as “An exemplary embodiment of a digital emergency alert message of the present invention” of the Manson patent. Manson repeatedly refers to his format of Table I as a “unique format” (col. 5, lines 6 – 20) and, contrary to the Examiner’s stated position, never mentions anything about an MPEG format in connection with his alert messages.

Thus, it is clear from the priority application that alert information is sent by Manson via an “out-of-band” path using a “unique format” (not MPEG).. The Examiner’s conclusion that Manson discloses “the application servers distribute the converted emergency alert message with the television program ----- with in-band delivery path” (rejection, bottom of page 3, emphasis added) is incorrect and contrary to what Manson states in the priority application (which is incorporated by reference into the cited Manson patent).

Thus, Manson does not disclose that he distributes the alert message “with the television program” using the “in-band delivery path”, does not describe that

“The program distributor inserts the converted alert into the broadcast programming”, and does not produce a “converted alert – formatted into an MPEG transport packet” as assumed and asserted by the Examiner in the rejection. There is simply no support for the Examiner’s stated conclusions.

The foregoing analysis is submitted to be the appropriate required comparison of the claimed invention with the prior art as set forth in the obviousness “Guidelines” set forth above. The Examiner’s analysis is submitted to be incorrect and the Examiner has not found all elements of the claimed combinations in the cited Manson reference.

Rejected independent method claims 7 and 12 are submitted to be patentable for the reasons presented above in distinguishing independent apparatus claim 1 over Manson.

## 2. THE DISCLOSURE IN U.S. PATENT NO. 6,112,074 – PINDER

Pinder is cited by the Examiner to supply elements of the rejected claims which are missing from Manson. However, none of the elements pointed out above as missing from Manson can be found in Pinder. In fact, Pinder has nothing to do with broadcast programming distribution or MPEG formats or inserting alert information into such signals. Pinder does not fill any of the gaps in Manson pointed out above and cannot be combined in any manner with Manson to render obvious the combinations of claim elements discussed above.

Specifically, Pinder only describes a cell telephone system for voice messaging which is augmented with transmission of emergency local weather information

(Pinder, col. 1, lines 20 – 23) to specific cell antenna towers (sites) located in threatened geographic areas. The system has nothing to do with broadcast programming, broadcast signal formats or image displays.

In the rejection (pages 4 – 5), the Examiner’s entire reliance on Pinder is set forth as follows:

“The radio communication system obtains event and locality information, and uses the locality information to transmit the event information to subscribers of that system potentially affected by the event (see, e.g., abstract and figure 3); and Transmitting the alert information in the form of SAME (a NOAA station broadcasts weather and emergency event information in a digital message using a Specific Area Message Encoding (SAME) protocol, see, e.g. col. 2, lines 23 – 41 and figure 1).

It would be obvious to combine Manson with Pinder in order the system of Manson to leave uninterested geographic region undisturbed and avoid a “Boy Who Cried Wolf” problem for the affected geographic region”.

It is apparent from the language of the rejection quoted immediately above that Pinder discloses nothing which corresponds to the claim elements missing from Manson as pointed out above. Furthermore, there is no teaching, suggestion or motivation disclosed in either reference (or identified by the Examiner) of how or why one could combine anything from the two references to bridge the informational gaps between the two.

Pinder relies on the characteristic of cell phone systems that each “site” (antenna tower) in a cell phone system is inherently limited to sending signals a

relatively short distance and the recipients of an emergency alert message can therefore be geographically selected. However, as described, this system would omit sending alert messages to cell phone users in the threatened area that were passing through and, probably, also cell phone users normally in the threatened area who were outside of it when an alert message was sent. Pinder operates in a substantially different environment than Manson (or the present invention), using different signal formats and as such, is not combinable with Manson to provide a useful system. As noted above, there is no teaching, suggestion or motivation in either Pinder or Manson to combine anything from these two references. The Examiner is simply using Appellants' disclosure as a roadmap to find bits and pieces of the presently claimed invention. Such a piecemeal attempt to reconstruct the claimed invention is not an appropriate basis for a finding of obviousness.

It is submitted that no basis has been presented on which a *prima facie* case of obviousness may be established as to any of independent claims 1, 7 and 12 based on what is disclosed separately by each of Manson and Pinder.

### 3. THE DISCLOSURE IN U.S. PATENT NO. 6,505,203 – ADLER

Adler is cited by the Examiner to supply a single element of dependent claim 6 which the Examiner acknowledges is missing from both Manson and Pinder. Specifically, the Examiner states:

“Manson in view of Pinder do not explicitly teach the alert class is including an alert related to a missing person.”

However, Adler does not disclose any of the other several elements of the



rejected independent claim 1 (from which claim 6 depends) which have been pointed out above as missing from Manson and Pinder.

Adler relates to a significantly different internet based information handling system using a predetermined network of selected e-mail recipients in an analytically determined geographic area to quickly spread a missing person's alert in that selected geographic area. Since Adler is concerned only with missing persons, his system has nothing to do with broadcasting such things as a weather alert to everyone in a geographic area (as described in claim 1). There is no teaching, suggestion or motivation in any of the references to combine what Adler discloses with Manson and Pinder to even suggest or arrive at all elements of claim 1. Therefore, claim 6, like claims 1, 4 and 5 from which it depends, cannot be found to be obvious over any combination of Manson in view of Pinder and further in view of Adler.

## **VIII. CONCLUSION**

It is respectfully submitted that there is no combination of Manson with Pinder which can be said to disclose, teach, suggest to or motivate a person of ordinary skill to combine these two references to arrive at any of the claimed apparatus or method combinations of claims 1 – 12 and 14 – 16.

The Examiner has not identified any reference or combination of references which discloses or suggests all elements of any of the independent claims 1, 7 or 12. In view of the significant differences between Appellants' claimed invention and the method/system disclosed by any of Manson, Pinder and

Adler, and the fact that those references do not provide any teaching, suggestion or motivation for modifying any of their disclosures so as to arrive at Appellants' claimed methods/apparatus, no *prima facie* basis has been established for supporting a conclusion of obviousness of any of claim 1 – 12 and 14 – 16.

The Examiner has attempted to bridge the gaps between the cited references Angal and the rejected claims by using Appellants' disclosure as a roadmap. However, as shown above, the gap between the claims and what the references disclose has not been closed and there is no combination of these references which meets the appealed claims or renders the appealed claims obvious.

Appellants therefore assert that claims 1 – 12 and 14 - 16 are patentable. Appellants request the reversal of the rejection of all claims and allowance of claims 1 – 12 and 14 - 16.

#### **IX. CLAIMS APPENDIX**

A complete listing of the claims involved in this appeal is attached hereto as Appendix A.

#### **X. EVIDENCE APPENDIX**

Appellant has submitted additional evidence comprising five (5) pages of U.S. Provisional Application No. 60143385, a Priority application for Manson, which are included in Appendix B attached.

## **XI. RELATED PROCEEDINGS APPENDIX**

Appellant states that there are no relevant related proceedings and, an Appendix C is hereby attached indicating "none."

Respectfully submitted,

/Joel M. Fogelson/

Joel M. Fogelson

Phone No. 609-734-6809

Reg. No. 43,613

Date: March 30, 2010

Patent Operations

Thomson Licensing Inc. P.O. Box 5312

Princeton, New Jersey 08543-5312

Attachments:

Appendix A: Claims on Appeal

Appendix B: Evidence

Appendix C: Related Proceedings

## **APPENDIX A**

## **CLAIMS ON APPEAL**

The following is a listing of all claims, pending, or canceled, incorporating all elements and revisions to date. All non-canceled claims are on appeal, canceled claims being canceled without prejudice or disclaimer.

1. (amended) A system for inserting alert based information into broadcast programming over a program distribution network comprising:

a program distributor that transmits the broadcast programming over the program distribution network; wherein

the program distributor receives the alert based information and converts the alert from a first format comprising at least one SAME code to a second format compatible with the programming broadcasted via the program distribution network; and

the program distributor inserts the converted alert into the broadcast programming via the program distribution network when a geographic data in said alert message matches a geographic region corresponding to a user that receives said broadcasting programming from said program distributor, and said alert based information is not transmitted when said geographic data in said alert message does not match said geographic region corresponding to said user;

the converted alert is formatted into an MPEG transport packet where the packet identifier (PID) in the header of the transport packet identifies the content of the transport packet as being an alert message instead of being at least one of audio information and video information.

2. (amended) The system of Claim 1, wherein the converted alert and the programming broadcasted via the program distribution network are capable of being rendered on at least one of a display device and an audio based device.

3. (amended) The system of Claim 1, wherein the alert based information received is an audible based message that is converted into data capable of being broadcasted over the program distribution network for rendering on an audio device.

4. (original) The system of Claim 1, wherein the program distributor adds supplemental information to the alert based information for broadcast; the supplemental information selected is based on data in the alert based information.

5. (original) The system of Claim 4, wherein the supplemental information selected is determined by the geographic region corresponding to an alert based information and the alert class of the alert based information.

6. (amended) The system of Claim 5, wherein the alert class is including an alert related to a missing person.

7. (amended) A method for inserting alert based information into broadcast programming over a program distribution network comprising the steps of:  
receiving an alert message in a proprietary format comporting to a SAME message;

translating the alert message from the proprietary format into a second format compatible with a broadcast signal used for transmitting the broadcast programming; and

transmitting the translated alert message with the broadcast programming, when a geographic data in said alert message matches a geographic area corresponding to a user that receives said broadcasting programming from said program distributor, and said alert based information is not transmitted when said geographic data in said alert message does not match said geographic area corresponding to said user, wherein

the translated alert message is formatted into an MPEG transport packet where the packet identifier (PID) in the header of the transport packet identifies the content of the transport packet as being an alert message instead of being at least one of audio information and video information.

8. (amended) The method of Claim 7, wherein the alert message received is an audible based message that is converted in data capable of being broadcasted over a program distribution network for rendering on an audio device.

9. (amended) The method of Claim 7, wherein supplemental information is added to the alert message; the supplemental information selected is based on data in the alert information.

10. (amended) The method of Claim 9, wherein the supplemental information selected is determined by the geographic region corresponding to the alert based information and the alert class of the alert based information.

11. (amended) The method of Claim 7, wherein the programming is broadcasted in an MPEG compatible data stream.

12. (amended) A method for translating a received alert message into a format capable of being broadcasted as part of a data stream comprising the steps of:

transmitting broadcast programming in an MPEG-2 compatible data stream;

receiving the alert message in a proprietary format which comports to a SAME message; and

converting the alert message into data that is inserted into packets used for transmitting the MPEG-2 compatible data stream when a geographic data in said alert message matches a geographic area corresponding to a user that receives said broadcasting programming from said program distributor, and said alert based information is not transmitted when said geographic data in said alert message does not match said geographic area corresponding to said user, wherein

the converted alert message is formatted into an MPEG-2 transport packet where the packet identifier (PID) in the header of the transport packet identifies the content of the transport packet as being an alert message instead of being at least one of audio information and video information.

13. (canceled).

14. (amended) The method of Claim 12, wherein the alert message received is an audible based message that is converted into data capable of being broadcasted over the a program distribution network for rendering on an audio device.

15. (amended) The method of Claim 12, wherein supplemental information is added to the alert message; the supplemental information selected is based on data in the alert information.

16. (amended) The method of Claim 15, wherein the supplemental information selected is determined by the geographic region corresponding to the alert based information and the alert class of the alert message.



## **APPENDIX B**

### **EVIDENCE**

U. S. Provisional Patent Application No. 60/143835, filed July 14, 1999 (available on PAIR, USPTO website);

B-1 Page 5 (hand numbered) entitled “Appendix A – MMM System Diagram:

B-2 Page 37 (hand numbered) heading “2.1.6 Multimedia Message Server (MMMS)” including reference to “out of band data carousel”;

B-3 Page 38 (hand numbered) data table depicting a digital message format;

B-4 Page 39 (hand numbered) continuation of table on page 38;


B-5 Page 42 (hand numbered) heading “2.1.6.2 MMMConfig Request” including reference to (out-of-band) “data carousel”.

**APPENDIX C**  
**RELATED PROCEEDINGS**

None

## Appendix A

## MMM System Diagram



60143835-071499

Preparing Inventor signature and date (blue ink):

SA 58341

12 of 7

Witness signature and date (blue ink):

001 07 1039

Revised: 10 April 1998

5

Byte	Field Name	Length (bits)	Range	Description	Release
				field.	1
27	AlertLEDDuration	8		This field determines the length in seconds of the interval during which blinking occurs. This field is only applicable for the options of <i>ma_Light</i> , <i>ma_HBoth</i> and <i>ma_TBoth</i> in the <i>messageAlert</i> field.	NA
28	AlertLEDPeriod	8		This field determines how often in seconds the blinking interval is repeated. This field is only applicable for the options of <i>ma_Light</i> , <i>ma_HBoth</i> and <i>ma_TBoth</i> in the <i>messageAlert</i> field.	NA
29	alertLength	8		This field determines the length of the <i>alertText</i> field.	NA
30_31	reserved	16			
32	AlertContent	...		This field determines a 2-line text if the <i>messageAlert</i> field is either <i>ma_Text</i> , <i>ma_HTML</i> , <i>ma_TBoth</i> , or <i>ma_HBoth</i> .	NA

### 2.1.6.2 MMMConfig Request

When an MMMConfig Request is received by the MMMS, it will first update the database and creates/rebuilds/removes the files, if needed. If the MMMConfig Request is for a default configuration, a one way UNPassThruMessage Request (message #8506) is sent to all DHCTs indicating that the default configuration file has been modified. The latest version number is sent in this message.

There could be one or more configurations in one configuration file. The format of this file is given in the next section. These configuration files will be stored under "bfs://MMM/" directory. The MMMConfig files will be sent through the data carousel, specified in the MMMConfig parameter.

### 2.1.6.3 MMMConfig File Format

Byte	Field Name	Length (bits)	Range	Description
0_3	version	32		This field indicates the version of this configuration file.
4	numConfigs(n)	16		This field indicates how many configurations reside in this file.
	Index1	16		This field indicates the first configuration in this file in bytes from the top of the file.
	...	...	...	
	Indexn	16		This field indicates the offset of the last configuration file in bytes from the top of the file.
	Filler	0 or 16		This field is a filler to cause the configuration data to start on a word boundary byte.
4*x (word boundary)	<ConfigData 1>	...	...	This field indicates the content of the first configuration. The format of this field is given in the previous table.
	...	...	...	
4*y	<ConfigData n>	...	...	This field indicates the content of the last configuration. The

7 July, 1999

Revision 1.8

cqs SIS

This document contains information that is PROPRIETARY and PRIVATE to Scientific Atlanta. All rights reserved. This document may not be reproduced in whole or part, and/or transmitted in any form, without first obtaining written permission from Scientific Atlanta.

## 2.1.6 Multimedia Message Server (MMMS)

The MMMS processes two types of requests: MMM Request and MMMSConfig Request. These requests are sent to the MMMS through a CORBA interface. Upon the start up of the MMMS, it will recollect the default configuration parameters and create a default file for DHCTs (the format of this configuration is given in the next section). These steps are taken, when MMMS starts:

- Collect all default configurations (*Type* is set to Default) for all categories.
- Create the "DfltConfig.dat" file based on the above defaults.
- Mount the file on the bfs://MMM/ directory to be sent out on a configurable data carousel.
- Notify the DHCTs through UNPassThruMessage(#3506) about the default configuration file. Specify the latest version in the message.
- Wait for any request from the system through the CORBA interface.

The following sections describes in detail the process when a request is received.

### 2.1.6.1 MMM Request

In the first phase, only Emergency Alert Message(EAM) is sent in this request. When the MMMS receives an EAM, the appropriate configuration information is retrieved from the database and tagged onto the end of this MMM request. Then through a one way SAMSSignallingPassThruMessage, the MMM resident applications in all DHCTs are invoked (this is a one way global message) with the given MMM request payload.

If the *AudioContent* or *DisplayContent* fields are URL locations, these files will be mounted on the "bfs://MMM" directory. These files will be sent through an out of band data carousel, specified in the configuration parameter, for this configuration.

If the *ConfigContent* field is a URL location, this file will be mounted on the "bfs://MMM" directory. This file will be sent through the data carousel, specified in the configuration parameter, for this configuration.

An MMM request will be sent out several times with a delay between each repeat. The number of repeat times and the delay between each repeat are configurable per configuration.

The format of the payload in the SAMSSignallingPassThru Message is given as below:

Byte	Field Name	Length (bits)	Range	Description
0..3	<i>msgId</i>	32		This field indicates which version of the configuration file should be used.
4..7	<i>originationTime</i>	32		Origination time of this message in number of seconds from January 1, 1970 in GMT.
8..9	<i>duration</i>	16		The length of the event in minutes.
10..11	<i>displayOffset</i>	16		This field specifies the offset in bytes of the <i>displayContent</i> field from the start of this message.
12..13	<i>displayLength</i>	16		This field specifies the length of the <i>displayContent</i> field in bytes.
14..15	<i>audioOffset</i>	16		This field specifies the offset in bytes of the <i>audioContent</i> field from the start of this message.
16..17	<i>audioLength</i>	32		This field specifies the length of the <i>audioContent</i> field in bytes.
18	<i>displayFlag</i>	8	0..4	This field specifies the nature of <i>displayContent</i> and <i>displayOffset</i> fields. 0: <i>of_None</i> means that there is no text message and the content of the <i>displayOffset</i> and <i>displayContent</i> fields are not applicable. This is used when there is only an audio message. 1: <i>of_ASCII</i> means that the content of the <i>displayContent</i> field is an ASCII file and a default foreground, background, font, and size will be used to display the message. 2: <i>of_HTML</i> means the content of the <i>displayContent</i> field is an HTML file. <NA in release 1.2> 3: <i>of_URL</i> means that the content of the <i>displayContent</i> field is a URL location of an HTML file on the BFS server. 4: <i>of_Black</i> means display a black screen and the content of the <i>displayOffset</i> and <i>displayContent</i> fields are not applicable. <NA in release 1.2>
19	<i>audioFlag</i>	8	0..2	This field specifies the nature of <i>audioContent</i> and <i>audioOffset</i> fields. 0: <i>of_None</i> means do not override the audio of the current service and the content of <i>audioOffset</i> and <i>audioContent</i> fields are not applicable. 1: <i>of_AIF</i> means the content of <i>audioContent</i> is an AIF format audio samples. <NA in release 1.2> 2: <i>of_WAV</i> means the content of <i>audioContent</i> is WAV format audio samples. <NA in release 1.2> 3: <i>of_URL</i> means that the content of the <i>audioContent</i> field is the URL location of an audio file. 4: <i>of_Silence</i> means play silence over the current application and the content of <i>audioOffset</i> and <i>audioContent</i> fields are not applicable. <NA in release 1.2>
20	<i>configFlag</i>	8	0..1	This field specifies the nature of <i>configContent</i> field. 0: <i>of_URL</i> means the content of <i>configContent</i> is the name and URL of the configuration to be used with this MMM. <NA in release 1.2> 1: <i>of_Data</i> means the content of <i>configContent</i> is the actual configuration data to be used with this MMM.
21	<i>configLength</i>	8		This field indicates the length of the <i>configContent</i> only if it is <i>of_URL</i> .

7 July, 1999

Revision 1.8

CAS, SRS

This document contains information that is PROPRIETARY and PRIVATE to Scientific Atlanta. All rights reserved. This document may not be reproduced in whole or part, and/or conveyed in any form, without first obtaining written permission from Scientific Atlanta.

B-4

Byte	Field Name	Length (bits)	Range	Description
22...	<configContent>	...		This field specifies either the actual configuration data or the name and URL location of the configuration depending on the option given in the <i>configFlag</i> field.
4*n... (word boundary)	<displayContent>	...		This field specifies either the actual HTML MMM or the URL location of the MMM depending on the option given in the <i>displayFlag</i> field.
4*m... (word boundary)	<audioContent>	...		This field specifies the URL location of the audio file if the option in <i>audioFlag</i> field is <i>of_URL</i> . If it is any other value this field has a length of zero and it is not applicable.

60143635-071499

7 July, 1999

Revision 1.3

CDS STS

This document contains information that is PROPRIETARY and PRIVATE to Scientific Atlanta. All rights reserved. This document may not be reproduced in whole or part, and/or transmitted in any form, without first obtaining written permission from Scientific Atlanta.